

# VU Research Portal

## Balance Control in Human Walking: An Energetic Perspective

IJmker, T.

2015

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

IJmker, T. (2015). *Balance Control in Human Walking: An Energetic Perspective*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

## REFERENCES

1. Waters RL, Mulroy S. The energy expenditure of normal and pathologic gait. *Gait and Posture*. Jul 1999;9(3):207-231.
2. Detrembleur C, Vanmarsenille JM, De Cuyper F, Dierick F. Relationship between energy cost, gait speed, vertical displacement of centre of body mass and efficiency of pendulum-like mechanism in unilateral amputee gait. *Gait and Posture*. Apr 2005;21(3):333-340.
3. Stoquart G, Detrembleur C, Lejeune TM. The reasons why stroke patients expend so much energy to walk slowly. *Gait and Posture*. Jul 2012;36(3):409-413.
4. Bernardi M, Macaluso A, Sproviero E, Castellano V, Coratella D, Felici F, Rodio A, Piacentini MF, Marchetti M, Ditunno JF, Jr. Cost of walking and locomotor impairment. *Journal of Electromyography and Kinesiology*. Apr 1999;9(2):149-157.
5. Corrigan R, McBurney H. Community ambulation: Influences on therapists and clients reasoning and decision making. *Disability and Rehabilitation*. 2008;30(15):1079-1087.
6. Lord SE, McPherson K, McNaughton HK, Rochester L, Weatherall M. Community ambulation after stroke: How important and obtainable is it and what measures appear predictive? *Arch Phys Med Rehabil*. Feb 2004;85(2):234-239.
7. Sansam K, Neumann V, O'Connor R, Bhakta B. Predicting walking ability following lower limb amputation: A systematic review of the literature. *Journal of Rehabilitation Medicine*. Jul 2009;41(8):593-603.
8. Ainslie P, Reilly T, Westerterp K. Estimating human energy expenditure: A review of techniques with particular reference to doubly labelled water. *Sports Medicine*. 2003;33(9):683-698.
9. Garby L, Astrup A. The relationship between the respiratory quotient and the energy equivalent of oxygen during simultaneous glucose and lipid oxidation and lipogenesis. *Acta Physiologica Scandinavica*. Mar 1987;129(3):443-444.
10. Brehm MA. *The clinical assessment of energy expenditure in pathological gait*. Amsterdam: Department of Rehabilitation Medicine, VU University Amsterdam; 2007.
11. Ralston HJ. Energy-speed relation and optimal speed during level walking. *Internationale Zeitschrift fur Angewandte Physiologie Einschliesslich Arbeitsphysiologie*. 1958;17(4):277-283.
12. Workman JM, Armstrong BW. Metabolic cost of walking: Equation and model. *Journal of Applied Physiology*. Oct 1986;61(4):1369-1374.
13. Zamparo P, Francescato MP, De Luca G, Lovati L, di Prampero PE. The energy cost of level walking in patients with hemiplegia. *Scandinavian Journal of Medicine and Science in Sports*. Dec 1995;5(6):348-352.
14. Minetti AE, Capelli C, Zamparo P, di Prampero PE, Saibene F. Effects of stride frequency on mechanical power and energy expenditure of walking. *Medicine and Science in Sports and Exercise*. Aug 1995;27(8):1194-1202.
15. Stoquart G, Detrembleur C, Lejeune T. Effect of speed on kinematic, kinetic, electromyographic and energetic reference values during treadmill walking. *Neurophysiologie Clinique*. Apr 2008;38(2):105-116.
16. Martin PE, Morgan DW. Biomechanical considerations for economical walking and running. *Medicine and Science in Sports and Exercise*. Apr 1992;24(4):467-474.
17. Bertram JE. Constrained optimization in human walking: Cost minimization and gait plasticity. *Journal of Experimental Biology*. Mar 2005;208(Pt 6):979-991.
18. Donelan JM, Kram R, Kuo AD. Mechanical and metabolic determinants of the preferred step width in human walking. *Proceedings of the Royal Society, Series B*

- Biological Sciences*. Oct 7 2001;268(1480):1985-1992.
19. Franceschini M, Rampello A, Agosti M, Massucci M, Bovolenta F, Sale P. Walking performance: Correlation between energy cost of walking and walking participation. New statistical approach concerning outcome measurement. *PLoS One*. 2013;8(2):e56669.
  20. Waters RL, Perry J, Antonelli D, Hislop H. Energy cost of walking of amputees: The influence of level of amputation. *Journal of Bone and Joint Surgery*. Jan 1976;58(1):42-46.
  21. Detrembleur C, Dierick F, Stoquart G, Chantraine F, Lejeune T. Energy cost, mechanical work, and efficiency of hemiparetic walking. *Gait and Posture*. Oct 2003;18(2):47-55.
  22. Brouwer B, Parvataneni K, Olney SJ. A comparison of gait biomechanics and metabolic requirements of overground and treadmill walking in people with stroke. *Clinical Biomechanics*. Nov 2009;24(9):729-734.
  23. Reisman DS, Rudolph KS, Farquhar WB. Influence of speed on walking economy poststroke. *Neurorehabilitation and Neural Repair*. Jul-Aug 2009;23(6):529-534.
  24. Genin JJ, Bastien GJ, Franck B, Detrembleur C, Willems PA. Effect of speed on the energy cost of walking in unilateral traumatic lower limb amputees. *European Journal of Applied Physiology and Occupational Physiology*. Aug 2008;103(6):655-663.
  25. Wezenberg D, van der Woude LH, Faber WX, de Haan A, Houdijk H. Relation between aerobic capacity and walking ability in older adults with a lower-limb amputation. *Archives of Physical Medicine and Rehabilitation*. Sep 2013;94(9):1714-1720.
  26. Cavagna GA, Thys H, Zamboni A. The sources of external work in level walking and running. *The Journal of Physiology*. Nov 1976;262(3):639-657.
  27. Kuo AD. The six determinants of gait and the inverted pendulum analogy: A dynamic walking perspective. *Human Movement Science*. Aug 2007;26(4):617-656.
  28. Winter DA. Biomechanics of normal and pathological gait: Implications for understanding human locomotor control. *Journal of Motor Behavior*. Dec 1989;21(4):337-355.
  29. Farley CT, McMahon TA. Energetics of walking and running: Insights from simulated reduced-gravity experiments. *Journal of Applied Physiology*. Dec 1992;73(6):2709-2712.
  30. Grabowski A, Farley CT, Kram R. Independent metabolic costs of supporting body weight and accelerating body mass during walking. *Journal of Applied Physiology*. Feb 2005;98(2):579-583.
  31. Bijker KE. *Metabolic cost of walking and running. Chapter 5: Metabolic cost of running and walking in reduced gravity*. Amsterdam: Faculty of Human Movement Sciences, VU University Amsterdam; 2003.
  32. Gottschall JS, Kram R. Energy cost and muscular activity required for propulsion during walking. *Journal of Applied Physiology*. May 2003;94(5):1766-1772.
  33. Donelan JM, Kram R, Kuo AD. Mechanical work for step-to-step transitions is a major determinant of the metabolic cost of human walking. *Journal of Experimental Biology*. Dec 2002;205(Pt 23):3717-3727.
  34. Gottschall JS, Kram R. Energy cost and muscular activity required for leg swing during walking. *Journal of Applied Physiology*. Jul 2005;99(1):23-30.
  35. Sagawa Y, Jr., Turcot K, Armand S, Thevenon A, Vuillerme N, Watelain E. Biomechanics and physiological parameters during gait in lower-limb amputees: A systematic review. *Gait and Posture*. Apr 2011;33(4):511-526.
  36. Winter DA, Sienko SE. Biomechanics of below-knee amputee gait. *Journal*

- of *Biomechanics*. 1988;21(5):361-367.
37. Czerniecki JM, Gitter AJ. Gait analysis in the amputee: Has it helped the amputee or contributed to the development of improved prosthetic components? *Gait and Posture*. 1996;4(3):258-268.
38. Houdijk H, Pollmann E, Groenewold M, Wiggerts H, Polonski W. The energy cost for the step-to-step transition in amputee walking. *Gait and Posture*. Jul 2009;30(1):35-40.
39. Maeda N, Kato J, Azuma Y, Okuyama S, Yonei S, Murakami M, Shimada T. Energy expenditure and walking ability in stroke patients: Their improvement by ankle-foot orthoses. *Isokinetics and Exercise Science*. 2009;17(2):57-62.
40. Gitter A, Czerniecki J, Weaver K. A reassessment of center-of-mass dynamics as a determinate of the metabolic inefficiency of above-knee amputee ambulation. *American Journal of Physical Medicine and Rehabilitation*. Sep-Oct 1995;74(5):332-338.
41. Mian OS, Thom JM, Ardigo LP, Narici MV, Minetti AE. Metabolic cost, mechanical work, and efficiency during walking in young and older men. *Acta Physiol (Oxf)*. Feb 2006;186(2):127-139.
42. Ortega JD, Farley CT. Individual limb work does not explain the greater metabolic cost of walking in elderly adults. *Journal of Applied Physiology*. Jun 2007;102(6):2266-2273.
43. McGeer T. Passive dynamic walking. *International Journal of Robotics Research*. Apr 1990;9(2):62-82.
44. Bauby CE, Kuo AD. Active control of lateral balance in human walking. *Journal of Biomechanics*. Nov 2000;33(11):1433-1440.
45. Hof AL, Gazendam MG, Sinke WE. The condition for dynamic stability. *Journal of Biomechanics*. Jan 2005;38(1):1-8.
46. Hof AL, van Bockel RM, Schoppen T, Postema K. Control of lateral balance in walking. Experimental findings in normal subjects and above-knee amputees. *Gait and Posture*. Feb 2007;25(2):250-258.
47. Donelan JM, Shipman DW, Kram R, Kuo AD. Mechanical and metabolic requirements for active lateral stabilization in human walking. *Journal of Biomechanics*. Jun 2004;37(6):827-835.
48. Dean JC, Alexander NB, Kuo AD. The effect of lateral stabilization on walking in young and old adults. *IEEE Transactions on Biomedical Engineering*. Nov 2007;54(11):1919-1926.
49. Ortega JD, Fehlmann LA, Farley CT. Effects of aging and arm swing on the metabolic cost of stability in human walking. *Journal of Biomechanics*. Dec 5 2008;41(16):3303-3308.
50. MacKinnon CD, Winter DA. Control of whole body balance in the frontal plane during human walking. *Journal of Biomechanics*. Jun 1993;26(6):633-644.
51. Hortobagyi T, Finch A, Solnik S, Rider P, DeVita P. Association between muscle activation and metabolic cost of walking in young and old adults. *Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*. May 2011;66(5):541-547.
52. Houdijk H, ter Hoeve N, Nooijen C, Rijntjes D, Tolsma M, Lamothe C. Energy expenditure of stroke patients during postural control tasks. *Gait and Posture*. 2010;32(3):321-326.
53. O'Connor SM, Xu HZ, Kuo AD. Energetic cost of walking with increased step variability. *Gait and Posture*. May 2012;36(1):102-107.
54. Wezenberg D, de Haan A, van Bennekom CA, Houdijk H. Mind your step: Metabolic energy cost while walking an enforced gait pattern. *Gait and Posture*. Apr 2011;33(4):544-549.
55. Hunter LC, Hendrix EC, Dean JC. The cost of walking downhill: Is the preferred gait energetically optimal? *Journal of Biomechanics*. Jul 20 2010;43(10):1910-1915.

56. Monsch ED, Franz CO, Dean JC. The effects of gait strategy on metabolic rate and indicators of stability during downhill walking. *Journal of Biomechanics*. Jul 26 2012;45(11):1928-1933.
57. Dingwell JB, Marin LC. Kinematic variability and local dynamic stability of upper body motions when walking at different speeds. *Journal of Biomechanics*. 2006;39(3):444-452.
58. England SA, Granata KP. The influence of gait speed on local dynamic stability of walking. *Gait and Posture*. Feb 2007;25(2):172-178.
59. Bruijn SM, van Dieen JH, Meijer OG, Beek PJ. Is slow walking more stable? *Journal of Biomechanics*. Jul 22 2009;42(10):1506-1512.
60. Espy DD, Yang F, Bhatt T, Pai YC. Independent influence of gait speed and step length on stability and fall risk. *Gait and Posture*. Jul 2010;32(3):378-382.
61. Hak L, Houdijk H, Steenbrink F, Mert A, van der Wurff P, Beek PJ, van Dieen JH. Speeding up or slowing down?: Gait adaptations to preserve gait stability in response to balance perturbations. *Gait and Posture*. Jun 2012;36(2):260-264.
62. Chambers AJ, Perera S, Cham R. Changes in walking characteristics of young and older adults when anticipating slippery floors. *IIE Transactions on Occupational Ergonomics and Human Factors*. 2013/07/01 2013;1(3):166-175.
63. Kuo AD, Donelan JM. Dynamic principles of gait and their clinical implications. *Physical Therapy*. Feb 2010;90(2):157-174.
64. Kuo AD. Stabilization of lateral motion in passive dynamic walking. *International Journal of Robotics Research*. Sep 1999;18(9):917-930.
65. Donker SF, Beek PJ, Wagenaar RC, Mulder T. Coordination between arm and leg movements during locomotion. *Journal of Motor Behavior*. Mar 2001;33(1):86-102.
66. Martin PE, Rothstein DE, Larish DD. Effects of age and physical activity status on the speed-aerobic demand relationship of walking. *Journal of Applied Physiology*. Jul 1992;73(1):200-206.
67. Zijlstra W, Hof AL. Assessment of spatio-temporal gait parameters from trunk accelerations during human walking. *Gait and Posture*. Oct 2003;18(2):1-10.
68. Winter DA, Patla AE, Prince F, Ishac M, Gielo-Perczak K. Stiffness control of balance in quiet standing. *Journal of Neurophysiology*. Sep 1998;80(3):1211-1221.
69. Morasso PG, Sanguineti V. Ankle muscle stiffness alone cannot stabilize balance during quiet standing. *Journal of Neurophysiology*. Oct 2002;88(4):2157-2162.
70. Morasso PG, Schieppati M. Can muscle stiffness alone stabilize upright standing? *Journal of Neurophysiology*. Sep 1999;82(3):1622-1626.
71. Bruijn S. *Is stability an unstable concept? Quantifying dynamic stability of human locomotion*. Amsterdam: Human Movement Sciences, VU University; 2010.
72. Saunders JB, Inman VT, Eberhart HD. The major determinants in normal and pathological gait. *Journal of Bone and Joint Surgery*. Jul 1953;35-A(3):543-558.
73. Orendurff MS, Segal AD, Klute GK, Berge JS, Rohr ES, Kadel NJ. The effect of walking speed on center of mass displacement. *Journal of Rehabilitation Research and Development*. Nov-Dec 2004;41(6A):829-834.
74. Olney SJ, Richards C. Hemiparetic gait following stroke. Part i: Characteristics. *Gait and Posture*. 1996;4(2):136-148.
75. Ijmker T, Houdijk H, Lamoth CJ, Beek PJ, van der Woude LH. Energy cost of balance control during walking decreases with external stabilizer stiffness independent of walking

- speed. *Journal of Biomechanics*. Sep 3 2013;46(13):2109-2114.
76. IJmker T, Houdijk H, Lamothe CJ, Jarbandhan AV, Rijntjes D, Beek PJ, van der Woude LH. Effect of balance support on the energy cost of walking after stroke. *Archives of Physical Medicine and Rehabilitation*. Nov 2013;94(11):2255-2261.
77. Cham R, Redfern MS. Changes in gait when anticipating slippery floors. *Gait and Posture*. Apr 2002;15(2):159-171.
78. Pijnappels M, Bobbert MF, van Dieen JH. Changes in walking pattern caused by the possibility of a tripping reaction. *Gait and Posture*. Jul 2001;14(1):11-18.
79. Pijnappels M, Bobbert MF, van Dieen JH. Emg modulation in anticipation of a possible trip during walking in young and older adults. *Journal of Electromyography and Kinesiology*. Apr 2006;16(2):137-143.
80. Brown LA, Gage WH, Polych MA, Sleik RJ, Winder TR. Central set influences on gait. Age-dependent effects of postural threat. *Experimental Brain Research*. Aug 2002;145(3):286-296.
81. Shirota C, Simon AM, Rouse EJ, Kuiken TA. The effect of perturbation onset timing and length on tripping recovery strategies. *Conference proceedings of the IEEE Engineering in Medicine and Biology Society*. 2011;2011:7833-7836.
82. Brown LA, Doan JB, McKenzie NC, Cooper SA. Anxiety-mediated gait adaptations reduce errors of obstacle negotiation among younger and older adults: Implications for fall risk. *Gait and Posture*. Dec 2006;24(4):418-423.
83. Nibbeling N, Daanen HA, Gerritsma RM, Hofland RM, Oudejans RR. Effects of anxiety on running with and without an aiming task. *Journal of Sports Sciences*. 2012;30(1):11-19.
84. McKenzie NC, Brown LA. Obstacle negotiation kinematics: Age-dependent effects of postural threat. *Gait and Posture*. Jun 2004;19(3):226-234.
85. Bruijn SM, Meijer OG, Beek PJ, van Dieen JH. The effects of arm swing on human gait stability. *Journal of Experimental Biology*. December 1, 2010 2010;213(23):3945-3952.
86. Schmitz A, Silder A, Heiderscheit B, Mahoney J, Thelen DG. Differences in lower-extremity muscular activation during walking between healthy older and young adults. *Journal of Electromyography and Kinesiology*. Dec 2009;19(6):1085-1091.
87. Winter DA. *Biomechanics and motor control of human movement*. 4 ed: John Wiley & Sons; 2009.
88. Hak L, Houdijk H, Beek PJ, van Dieen JH. Steps to take to enhance gait stability: The effect of stride frequency, stride length, and walking speed on local dynamic stability and margins of stability. *PLoS One*. 2013;8(12):e82842.
89. Bruijn SM, Meijer OG, Beek PJ, van Dieen JH. Assessing the stability of human locomotion: A review of current measures. *Journal of The Royal Society Interface*. Jun 6 2013;10(83):20120999.
90. Adkin AL, Frank JS, Carpenter MG, Peysar GW. Postural control is scaled to level of postural threat. *Gait and Posture*. Oct 2000;12(2):87-93.
91. Giladi N, Herman T, Reider G, Il, Gurevich T, Hausdorff JM. Clinical characteristics of elderly patients with a cautious gait of unknown origin. *Journal of Neurology*. Mar 2005;252(3):300-306.
92. Herman T, Giladi N, Gurevich T, Hausdorff JM. Gait instability and fractal dynamics of older adults with a "Cautious" Gait: Why do certain older adults walk fearfully? *Gait and Posture*. Feb 2005;21(2):178-185.
93. Wert DM, Brach J, Perera S, VanSwearingen JM. Gait biomechanics, spatial and temporal characteristics, and the energy cost of walking in older adults with impaired mobility. *Physical Therapy*. Jul 2010;90(7):977-985.

- 
94. Maki BE. Gait changes in older adults: Predictors of falls or indicators of fear. *Journal of the American Geriatrics Society*. Mar 1997;45(3):313-320.
95. Hortobagyi T, DeVita P. Muscle pre- and coactivity during downward stepping are associated with leg stiffness in aging. *Journal of Electromyography and Kinesiology*. Apr 2000;10(2):117-126.
96. Benjuya N, Melzer I, Kaplanski J. Aging-induced shifts from a reliance on sensory input to muscle cocontraction during balanced standing. *Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*. Feb 2004;59(2):166-171.
97. Malatesta D, Simar D, Dauvilliers Y, Candau R, Borrani F, Prefaut C, Caillaud C. Energy cost of walking and gait instability in healthy 65- and 80-yr-olds. *Journal of Applied Physiology*. Dec 2003;95(6):2248-2256.
98. Hoffman MD, Millet GY, Candau RB, Rouillon JD. Evaluation of a theoretical model to quantify the sources of metabolic cost in walking. *American Journal of Physical Medicine and Rehabilitation*. May 2004;83(5):353-362.
99. Michaud SB, Gard SA, Childress DS. A preliminary investigation of pelvic obliquity patterns during gait in persons with transtibial and transfemoral amputation. *Journal of Rehabilitation Research and Development*. Jan-Feb 2000;37(1):1-10.
100. van Velzen JM, van Bennekom CA, Polonski W, Slootman JR, van der Woude LH, Houdijk H. Physical capacity and walking ability after lower limb amputation: A systematic review. *Clinical Rehabilitation*. Nov 2006;20(11):999-1016.
101. Lamoth CJ, Ainsworth E, Polonski W, Houdijk H. Variability and stability analysis of walking of transfemoral amputees. *Medical Engineering and Physics*. Nov 2010;32(9):1009-1014.
102. Jaegers SM, Arendzen JH, de Jongh HJ. Changes in hip muscles after above-knee amputation. *Clinical Orthopaedics and Related Research*. Oct 1995(319):276-284.
103. Jaegers SM, Arendzen JH, de Jongh HJ. Prosthetic gait of unilateral transfemoral amputees: A kinematic study. *Archives of Physical Medicine and Rehabilitation*. Aug 1995;76(8):736-743.
104. Hak L, van Dieen JH, van der Wurff P, Prins MR, Mert A, Beek PJ, Houdijk H. Walking in an unstable environment: Strategies used by transtibial amputees to prevent falling during gait. *Archives of Physical Medicine and Rehabilitation*. Nov 2013;94(11):2186-2193.
105. Highsmith MS, B.W.; Hart-Hughes, S.; Latlief, G.A.; Phillips, S.L. Differences in the spatiotemporal parameters of transtibial and transfemoral amputee gait. *Journal of Prosthetics and Orthotics*. 2010;22(1):14.
106. Gates DH, Darter BJ, Dingwell JB, Wilken JM. Comparison of walking overground and in a computer assisted rehabilitation environment (caren) in individuals with and without transtibial amputation. *Journal of NeuroEngineering and Rehabilitation*. 2012;9:81.
107. Hurt CP, Rosenblatt N, Crenshaw JR, Grabiner MD. Variation in trunk kinematics influences variation in step width during treadmill walking by older and younger adults. *Gait and Posture*. Apr 2010;31(4):461-464.
108. Kuo AD, Donelan JM, Ruina A. Energetic consequences of walking like an inverted pendulum: Step-to-step transitions. *Exercise and Sport Sciences Reviews*. Apr 2005;33(2):88-97.
109. Sjodahl C, Jarnlo GB, Soderberg B, Persson BM. Pelvic motion in transfemoral amputees in the frontal and transverse plane before and after special gait re-education. *Prosthetics and Orthotics International*. Dec 2003;27(3):227-237.
-



110. Goujon-Pillet H, Sapin E, Fode P, Lavaste F. Three-dimensional motions of trunk and pelvis during transfemoral amputee gait. *Archives of Physical Medicine and Rehabilitation*. Jan 2008;89(1):87-94.
111. Chang CL, Ulrich BD. Lateral stabilization improves walking in people with myelomeningocele. *Journal of Biomechanics*. 2008;41(6):1317-1323.
112. Roger VL, Go AS, Lloyd-Jones DM, Benjamin EJ, Berry JD, Borden WB, Bravata DM, Dai S, Ford ES, Fox CS, Fullerton HJ, Gillespie C, Hailpern SM, Heit JA, Howard VJ, Kissela BM, Kittner SJ, Lackland DT, Lichtman JH, Lisabeth LD, Makuc DM, Marcus GM, Marelli A, Matchar DB, Moy CS, Mozaffarian D, Mussolino ME, Nichol G, Paynter NP, Soliman EZ, Sorlie PD, Sotoodehnia N, Turan TN, Virani SS, Wong ND, Woo D, Turner MB. Executive summary: Heart disease and stroke statistics--2012 update: A report from the american heart association. *Circulation*. Jan 3 2012;125(1):188-197.
113. Colle F, Bonan I, Gellez Leman MC, Bradai N, Yelnik A. Fatigue after stroke. *Annales de Readaptation et de Médecine Physique*. Jul 2006;49(6):272-276, 361-274.
114. Ingles JL, Eskes GA, Phillips SJ. Fatigue after stroke. *Archives of Physical Medicine and Rehabilitation*. Feb 1999;80(2):173-178.
115. Mackay-Lyons MJ, Makrides L. Exercise capacity early after stroke. *Archives of Physical Medicine and Rehabilitation*. Dec 2002;83(12):1697-1702.
116. Mackay-Lyons MJ, Makrides L. Longitudinal changes in exercise capacity after stroke. *Archives of Physical Medicine and Rehabilitation*. Oct 2004;85(10):1608-1612.
117. Platts MM, Rafferty D, Paul L. Metabolic cost of over ground gait in younger stroke patients and healthy controls. *Medicine and Science in Sports and Exercise*. Jun 2006;38(6):1041-1046.
118. Wagenaar RC, Beek WJ. Hemiplegic gait: A kinematic analysis using walking speed as a basis. *Journal of Biomechanics*. Sep 1992;25(9):1007-1015.
119. Holden MK, Gill KM, Magliozzi MR, Nathan J, Piehl-Baker L. Clinical gait assessment in the neurologically impaired. Reliability and meaningfulness. *Physical Therapy*. Jan 1984;64(1):35-40.
120. Berg KO, Wood-Dauphinee SL, Williams JI, Maki B. Measuring balance in the elderly: Validation of an instrument. *Canadian Journal of Public Health. Revue Canadienne de Sante Publique*. Jul-Aug 1992;83 Suppl 2:S7-11.
121. Collen FM, Wade DT, Bradshaw CM. Mobility after stroke: Reliability of measures of impairment and disability. *International Disability Studies*. Jan-Mar 1990;12(1):6-9.
122. Brehm MA, Knol DL, Harlaar J. Methodological considerations for improving the reproducibility of walking efficiency outcomes in clinical gait studies. *Gait and Posture*. Feb 2008;27(2):196-201.
123. Bateni H, Maki BE. Assistive devices for balance and mobility: Benefits, demands, and adverse consequences. *Archives of Physical Medicine and Rehabilitation*. Jan 2005;86(1):134-145.
124. Woollacott M, Shumway-Cook A. Attention and the control of posture and gait: A review of an emerging area of research. *Gait and Posture*. Aug 2002;16(1):1-14.
125. McBeath AA, Bahrke M, Balke B. Efficiency of assisted ambulation determined by oxygen consumption measurement. *Journal of Bone and Joint Surgery*. Jul 1974;56(5):994-1000.
126. Hausdorff JM, Rios DA, Edelberg HK. Gait variability and fall risk in community-living older adults: A 1-year prospective study. *Archives of Physical Medicine and Rehabilitation*. Aug 2001;82(8):1050-1056.

127. Hausdorff JM. Gait dynamics, fractals and falls: Finding meaning in the stride-to-stride fluctuations of human walking. *Human Movement Science*. Aug 2007;26(4):555-589.
128. Bradley CE, Wutzke CJ, Zinder S, Lewek MD. Spatiotemporal gait asymmetry is related to balance/fall risk in individuals with chronic stroke. *American Society of Biomechanics*. Gainesville Florida 2012.
129. Jeka JJ. Light touch contact as a balance aid. *Physical Therapy*. May 1997;77(5):476-487.
130. Jeka JJ, Lackner JR. Fingertip contact influences human postural control. *Experimental Brain Research*. 1994;100(3):495-502.
131. Dickstein R, Laufer Y. Light touch and center of mass stability during treadmill locomotion. *Gait and Posture*. Aug 2004;20(1):41-47.
132. Boonsinsukh R, Panichareon L, Phansuwan-Pujito P. Light touch cue through a cane improves pelvic stability during walking in stroke. *Archives of Physical Medicine and Rehabilitation*. Jun 2009;90(6):919-926.
133. Holden M, Ventura J, Lackner JR. Stabilization of posture by precision contact of the index finger. *J Vestib Res*. Jul-Aug 1994;4(4):285-301.
134. Kuan TS, Tsou JY, Su FC. Hemiplegic gait of stroke patients: The effect of using a cane. *Arch Phys Med Rehabil*. Jul 1999;80(7):777-784.
135. Chen G, Patten C, Kothari DH, Zajac FE. Gait deviations associated with post-stroke hemiparesis: Improvement during treadmill walking using weight support, speed, support stiffness, and handrail hold. *Gait and Posture*. Aug 2005;22(1):57-62.
136. Beauchamp MK, Skrela M, Southmayd D, Trick J, Kessel MV, Brunton K, Inness E, McIlroy WE. Immediate effects of cane use on gait symmetry in individuals with subacute stroke. *Physiother Can*. Summer 2009;61(3):154-160.
137. Ellis RG, Howard KC, Kram R. The metabolic and mechanical costs of step time asymmetry in walking. *Proceedings of the Royal Society, Series B: Biological Sciences*. Apr 7 2013;280(1756):20122784.
138. Buurke JH, Hermens HJ, Erren-Wolters CV, Nene AV. The effect of walking aids on muscle activation patterns during walking in stroke patients. *Gait and Posture*. Oct 2005;22(2):164-170.
139. Maguire C, Sieben JM, Frank M, Romkes J. Hip abductor control in walking following stroke -- the immediate effect of canes, taping and theratogs on gait. *Clinical Rehabilitation*. Jan 2010;24(1):37-45.
140. Hwang IS, Lee HM, Cherng RJ, Chen JJ. Electromyographic analysis of locomotion for healthy and hemiparetic subjects--study of performance variability and rail effect on treadmill. *Gait and Posture*. Aug 2003;18(1):1-12.
141. Visintin M, Barbeau H. The effects of parallel bars, body weight support and speed on the modulation of the locomotor pattern of spastic paretic gait. A preliminary communication. *Paraplegia*. Aug 1994;32(8):540-553.
142. Boonsinsukh R, Panichareon L, Saengsirisuwan V, Phansuwan-Pujito P. Clinical identification for the use of light touch cues with a cane in gait rehabilitation poststroke. *Topics in Stroke Rehabilitation*. Oct 2011;18 Suppl 1:633-642.
143. Hesse S, Jahnke MT, Schaffrin A, Lucke D, Reiter F, Konrad M. Immediate effects of therapeutic facilitation on the gait of hemiparetic patients as compared with walking with and without a cane. *Electroencephalography and Clinical Neurophysiology*. Dec 1998;109(6):515-522.
144. Hermens HJ, Freriks B, Merletti R, Stegeman D, Blok J, Rau G, Disselhorst-Klug C, Hägg G. *Seniam 8: European recommendations for surface electromyography*. Enschede,

- the Netherlands: Roessingh Research and Development; 1999.
145. Roerdink M, Coolen BH, Clairbois BH, Lamothe CJ, Beek PJ. Online gait event detection using a large force platform embedded in a treadmill. *J Biomech*. Aug 28 2008; 41(12): 2628-2632.
146. Daffertshofer A, Lamothe CJC, Meijer OG, Beek PJ. PCA in studying coordination and variability: A tutorial. *Clinical Biomechanics*. May 2004;19(4):415-428.
147. Bosco G. Principal component analysis of electromyographic signals: An overview. *The Open Rehabilitation Journal*. 2010;3:127-131.
148. Lamothe CJ, Daffertshofer A, Huys R, Beek PJ. Steady and transient coordination structures of walking and running. *Human Movement Science*. Jun 2009;28(3):371-386.
149. Mardia KV, Jupp PE. *Directional statistics*: Wiley; 2009.
150. Abdi H. PLS-regression; multivariate analysis. *Encyclopedia for research methods for the social sciences*. Thousand Oaks: Sage. 2003.
151. Abdi H, Williams L. Partial least squares methods: Partial least squares correlation and partial least square regression. In: Reisfeld B, Mayeno AN, eds. *Computational toxicology*. Vol 930: Humana Press; 2013:549-579.
152. Riley MA, Stoffregen TA, Grocki MJ, Turvey MT. Postural stabilization for the control of touching. *Human Movement Science*. 1999;18(6):795-817.
153. Holt KG, Hamill J, Andres RO. Predicting the minimal energy costs of human walking. *Medicine and Science in Sports and Exercise*. Apr 1991;23(4):491-498.
154. Hak L, Houdijk H, Steenbrink F, Mert A, van der Wurff P, Beek PJ, van Dieen JH. Stepping strategies for regulating gait adaptability and stability. *Journal of Biomechanics*. Mar 15 2013;46(5):905-911.
155. Tyrell CM, Helm E, Reisman DS. *Learning the spatial features of a locomotor task is slowed after stroke*. Vol 1122014.
156. Buurke JH, Nene AV, Kwakkel G, Erren-Wolters V, Ijzerman MJ, Hermens HJ. Recovery of gait after stroke: What changes? *Neurorehabilitation and Neural Repair*. Nov-Dec 2008;22(6):676-683.
157. Den Otter AR, Geurts AC, Mulder T, Duysens J. Gait recovery is not associated with changes in the temporal patterning of muscle activity during treadmill walking in patients with post-stroke hemiparesis. *Clinical Neurophysiology*. Jan 2006; 117(1):4-15.
158. Lennon S, Baxter D, Ashburn A. Physiotherapy based on the bobath concept in stroke rehabilitation: A survey within the uk. *Disability and Rehabilitation*. Apr 15 2001; 23(6):254-262.
159. Bijleveld-Uitman M, van de Port I, Kwakkel G. Is gait speed or walking distance a better predictor for community walking after stroke? *Journal of Rehabilitation Medicine*. Jun 2013;45(6):535-540.
160. Rotstein A, Inbar O, Berginsky T, Meckel Y. Preferred transition speed between walking and running: Effects of training status. *Medicine and Science in Sports and Exercise*. Nov 2005;37(11):1864-1870.
161. Hak L, Houdijk H, van der Wurff P, Prins MR, Mert A, Beek PJ, van Dieen JH. Stepping strategies used by post-stroke individuals to maintain margins of stability during walking. *Clinical Biomechanics*. Nov-Dec 2013;28(9-10):1041-1048.
162. Peper CL, Oorthuizen JK, Roerdink M. Attentional demands of cued walking in healthy young and elderly adults. *Gait and Posture*. Jul 2012;36(3):378-382.
163. Matsubara JH, Wu M, Gordon KE. Metabolic cost of lateral stabilization during walking in people with

- incomplete spinal cord injury. *Gait and Posture*.
164. Koopman B, Meuleman JH, van Asseldonk EH, van der Kooij H. Lateral balance control for robotic gait training. *IEEE International Conference on Rehabilitation Robotics*. Jun 2013;2013:6650363.
  165. Tecante K, Seehaus F, Welke B, Olender G, Schwarze M, Lynch S, Hurschler C. Clinical gait analysis and musculoskeletal modeling. In: Magnenat-Thalmann N, Ratib O, Choi HF, eds. *3d multiscale physiological human*: Springer London; 2014:165-187.
  166. Higginson JS, Zajac FE, Neptune RR, Kautz SA, Delp SL. Muscle contributions to support during gait in an individual with post-stroke hemiparesis. *Journal of Biomechanics*. 2006;39(10):1769-1777.
  167. Versluys R, Beyl P, Van Damme M, Desomer A, Van Ham R, Lefeber D. Prosthetic feet: State-of-the-art review and the importance of mimicking human ankle-foot biomechanics. *Disabil Rehabil Assist Technol*. Mar 2009;4(2):65-75.
  168. Tyson SF, Sadeghi-Demneh E, Nester CJ. A systematic review and meta-analysis of the effect of an ankle-foot orthosis on gait biomechanics after stroke. *Clinical Rehabilitation*. Oct 2013;27(10): 879-891.
  169. van der Linde H, Hofstad CJ, Geurts AC, Postema K, Geertzen JH, van Limbeek J. A systematic literature review of the effect of different prosthetic components on human functioning with a lower-limb prosthesis. *Journal of Rehabilitation Research and Development*. Jul 2004;41(4):555-570.
  170. Lubetzky-Vilnai A, Kartin D. The effect of balance training on balance performance in individuals poststroke: A systematic review. *J Neurol Phys Ther*. Sep 2010;34(3):127-137.
  171. Van Peppen RP, Kwakkel G, Wood-Dauphinee S, Hendriks HJ, Van der Wees PJ, Dekker J. The impact of physical therapy on functional outcomes after stroke: What's the evidence? *Clinical Rehabilitation*. Dec 2004;18(8):833-862.
  172. Chen CL, Chen HC, Wong MK, Tang FT, Chen RS. Temporal stride and force analysis of cane-assisted gait in people with hemiplegic stroke. *Archives of Physical Medicine and Rehabilitation*. Jan 2001;82(1):43-48.

